

## ORO<sub>2</sub> Flow Control Valves

- ▶ 12-position flow control settings ranging from the OFF position to ¼, ½, 1, 2, 3, 4, 6, 8, 10, 15, and 25 lpm
- ▶ Accuracy of plus or minus 10% to reading
- ▶ The brass, nickel-plated DISS outlet allows precise connection using standard DISS or BARB connections
- ▶ Accommodates nebulizers, humidifiers, or nipple/nut connectors ¼ and ½ lpm +/- 20%
- ▶ All-metal construction

Model 900 ORO<sub>2</sub> with DISS Male Outlet and BARB Outlet ..... #0819583

Model 901 ORO<sub>2</sub> with BARB Outlet ..... #0819584



Model 900

Model 901

CE

## O<sub>2</sub> E-Class Flowmeter

- ▶ Polycarbonate tube, nickel-plated brass
- ▶ Agion™ knob material, inhibits growth of odor-causing micro-bacteria
- ▶ Precise and adjustable needle valve assembly, for accurate flows
- ▶ Stainless steel ball float and clear scale provide easy to set flow.

E-Class Flowmeter ..... # T21EC15

E-Class Flowmeter w/ British Quick Connect ..... # T21EC15-B

E-Class Flowmeter w/ Ohio Diamond Quick Connect ..... # T21EC15-OD



British Quick Connect



Ohio Diamond Quick Connect

## Model 903 Micro-Manager Administrator™ (anodized aluminum)

- ▶ Constant flow device of 10 lpm for one to five patients simultaneously
- ▶ Check valves & threaded barbed fittings with flow-restriction orifices
- ▶ Attach to an oxygen regulator capable of delivering 40 to 90 psi
- ▶ Provides a 50 psi outlet to operate a demand valve resuscitator or gas-powered suction device

Micro-Manager with five 10 lpm Orifices ..... #R01000

Micro-Manager w/ five 6 lpm Orifices and 1829 mm Hose ..... #ORO1010

Replacement Packages: Five DISS x Barb lpm fittings

For 2 lpm, 5 per package ..... Call for Specifications

For 4 lpm, 5 per package ..... #RO6004

For 6 lpm, 5 per package ..... #RO6006

For 10 lpm, 5 per package ..... #RO6010

For 15 lpm, 5 per package ..... #RO6015



Oxygen Supply Hoses Sold Separately

CE

## Model 905 Mini-Manager Administrator™ (aluminum alloy)

- ▶ Equipped with five flow-control valves
- ▶ Able to provide flow rates from 0-25 lpm for one to five patients
- ▶ Manifold with DISS Oxygen Inlets
- ▶ Comes in a soft carrying case and stores compactly
- ▶ 60 month warranty

Model 905 Mini-Manager O<sub>2</sub> Administrator™ ..... #0819585



Oxygen Supply Hoses Sold Separately

CE

## Model 908 Multi-Manager Administrator™ (aluminum)

- ▶ Equipped with eight flow-control valves with standard DISS
- ▶ Able to provide flow rates from 0-25 lpm for one to 8 patients
- ▶ Manifold is mounted on a collapsible aluminum alloy tripod
- ▶ Can be connected with a second unit to treat up to 16 patients
- ▶ Stores compactly and storage case available (Model RO9081)
- ▶ 60 month warranty

Model 908 Multi-Manager O<sub>2</sub> Administrator™ ..... #0819586



Oxygen Supply Hoses Sold Separately

CE

## Disposable Cuff Mask

Contoured, anatomically-shaped cushion allows gas-tight low-pressure seal. Hypo-allergenic materials. Little or no blow-by during oxygen administration. Available in infant, child, and adult sizes.

- Single-Use Cuffed Mask Size 1, Infant .....#RB131008
- Single-Use Cuffed Mask Size 3, Child/Small Adult.....#RB131004
- Single-Use Cuffed Mask Size 5, Adult.....#RB131005



CE

## Reusable Silicone Face Masks

- › Contoured anatomically-shaped cushion
- › Gas-tight low-pressure seal with hypo-allergenic materials
- › Little or no blow-by during oxygen administration
- › Available in pediatric and adult sizes

- Reusable Face Mask, Size 0, Infant .....#RB132080
- Reusable Face Mask, Size 1, Infant.....#RB1320081
- Reusable Face Mask, Size 2, Infant/Child.....#RB1325042
- Reusable Face Mask, Size 3, Child.....#RB1330043
- Reusable Face Mask, Size 4, Adult.....#RB1330054
- Reusable Face Mask, Size 5, Adult.....#RB1330055



CE

## Model 302 OX-Series Inhalator Valve

- › Provides 100% source gas to a breathing patient with minimal respiratory effort
- › Compact and lightweight design weighs only three ounces
- › Used on spontaneously breathing patients for aquatic injuries, dive accidents, smoke inhalation and carbon monoxide poisoning

- Model 302, Inhalator Valve with Three adaptors .....#0819656
- Model 302-10, Inhalator, 1829 mm Hose and Adult Mask.....#0819657
- Model 302, Inhalator/Exhalation Valve Assembly.....#RO5000

Model 302-10



CE

## Model 301 HFOC™ Oxygen Conserver

- › High-flow oxygen conserver delivers 100% oxygen during resuscitation
- › Performs function regardless of resuscitator rate and bag stroke volume
- › Operates from any standard 50 psi gaseous oxygen source
- › Has an integral back pressure relief diaphragm to relieve pressure greater than atmospheric
- › Adaptors to attach the HFOC™ to the most popular brands of bag valve resuscitators provided
- › Comes with 1829 mm (6 ft) O<sub>2</sub> supply hose

- Model 301-10 for use w/ NPB PMR-II Adult Bag Resuscitators #0819628
- Model 301, w/1829mm Hose for use w/22mm Bag Inlet Port.#0819738

- Adaptors
- 15 mm I.D. x 22 mm O.D. Adapter.....Call for Specifications
  - 23 mm I.D. x 28 mm O.D. Adapter.....Call for Specifications
  - 26 mm I.D. x 31 mm O.D. Adapter.....Call for Specifications
  - Silicon Rubber Adapter (Use with RO3012 Adapter to Connect Bag/Mask Resuscitators with 22 mm Male Inlets).....Call for Specifications



Three Adaptors Included



CE

## DVRx Demand Valve Resuscitator

- › Provides 100% oxygen through a mask, endotracheal tube, esophageal airway or tracheotomy tube to a breathing or nonbreathing patient
- › Manual triggered flow: 40 LPM. Spontaneous breathing: 160 LPM

- DVRx Demand Valve Resuscitator.....#T10560



## Single Patient Use BVM with Medication and Monitoring Port

- ▶ Transparent re-breathing valve assembly allows clear viewing of valve
- ▶ Lightly-textured PVC bag for sure grip and comfort
- ▶ Latex free
- ▶ 360° patient valve swivel connection
- ▶ Adult size will easily collapse for compact storage
- ▶ Comes complete with mask reservoir bag and O<sub>2</sub> tubing
- ▶ Bag Valve Mask Resuscitator can be used in conjunction with FERNO<sub>2</sub> HFOC Model 301 to achieve 100% oxygen delivery
- ▶ 40 cm H<sub>2</sub>O pressure-relief valve standard on pediatric/infant models
- ▶ Silicone hand strap included for optional steady grip
- ▶ Medication and Monitoring Port on outlet side of BVM

Single Patient Use BVM, Adult ..... #T30533  
 Single Patient Use BVM, Child ..... #T30532  
 Single Patient Use BVM, Infant ..... #T30531




CE

## Silicone Reusable BVM with Medication and Monitoring Port

- ▶ Silicone material provides excellent bag re-expansion
- ▶ Superior feel of lung compliance helps reduce risk of over-inflation
- ▶ Sized for adult, pediatric (5.5-55 lb.), and infant patient ventilation
- ▶ Integrated intake/oxygen valve for ease of oxygen delivery
- ▶ Easy to disassemble/assemble for efficient cleaning
- ▶ See-through mask with unique multi-function mask cover
- ▶ 40 cm H<sub>2</sub>O pressure-relief valve standard on pediatric/infant models
- ▶ BVM's can be used in conjunction with FERNO<sub>2</sub> HFOC Model 301 to achieve 100% oxygen delivery
- ▶ Comes complete with mask reservoir bag and O<sub>2</sub> tubing

Adult Complete in Carton ..... #T30536  
 Child Complete in Carton ..... #T30535  
 Infant Complete in Carton ..... #T30534



CE

## CPR Mask

- ▶ Reusable mask used for mouth-to-mask ventilation
- ▶ Ready to use right out of its rugged storage case
- ▶ Latex-free
- ▶ Comes complete with filtered inlet valve, O<sub>2</sub> inlet port and head strap

FERNO<sub>2</sub> CPR Pocket Mask ..... #RO2820



CE

## Model 425 Intubation Kit

- › Carrying case
- › Miller 1, 2, and 4 fiber-optic blades & Mac 2 and 3a fiber-optic blades
- › Handle
- › Blades and handle are ISO Green System compatible
- › Spare bulb (size "C" batteries not included)

Kit Model 425 ..... #0819593  
 Carrying Case Only ..... Call for Specifications



## Individual Laryngoscope Blades & Handles

- › Stainless steel (SS) fiber-optic blades
- › Blades autoclaveable
- › Blades and handle are ISO Green System compatible
- › Spare bulb (size "C" batteries not included)

Handle Fiber-Optic Laryngoscope, Pediatric ..... #AM14010999  
 Handle Fiber-Optic, Standard ..... #AM14011199



Blades	Size 0	Size 1	Size 2	Size 3	Size 4
Macintosh	#AM14040000	#AM14040001	#AM14040002	#AM14040003	#AM14040004
Miller	#AM14050000	#AM14050001	#AM14050002	#AM14050003	#AM14050004

## Guedel Emergency Airway Kit

- › Combines six disposable, individually numbered Guedel Airways
- › Plastic pouch for easy storage and access
- › Large lumen offers free exchange of expired air and rescue breaths
- › Each airway is contoured for maximum comfort
- › Kit includes six sizes: infant (50mm), small child (60mm), child (70mm), small adult (80mm), medium adult (90mm) and adult (100mm)

Guedel Emergency Airway Kit, 6 per box ..... AM21009999



## Nasopharyngeal Airways

- › Robertazzi style airway with fixed flange
- › Made of neoprene (latex-free) and designed to minimize entry trauma and increase patient comfort
- › For use where patient has a blockage of normal anatomical airway

Latex-Free Naso Airway Kit of 9 ..... #AM1520

Kit of 9 includes nine sizes along with water-soluble sterile lubricant packs: 20, 22, 24, 26, 28, 30, 32, 34, and 36fr. Also available individually.  
 Kit of 6 excludes: 20, 34, and 36fr.



## PosiTube Endotracheal Detection Device

- Ideal detection device to differentiate between the patient's trachea and esophagus
- Designed to verify proper placement of the endotracheal tube or double lumen airway

PosiTube Endotracheal Tube Placement Check Device.....#RO6200



## Grip-ET<sup>®</sup> Endotracheal Tube Holder

- Works with any ET tube from sizes 4.5 to 10 mm
- The patented clip slides into place, locking quickly
- The wide-open base leaves the mouth open for visualizing and suctioning the mouth
- The twist lock pivots hold the clip in for added security
- The hook and loop strap wraps around the head for a quick and easy hold

Grip-ET<sup>®</sup> with Endotracheal Tube Holder Bite Block.....#FA0009



## MVP Suction Unit

- Robust, lightweight, high-vacuum portable suction unit
- Reusable pistol-style pump
- Comes with disposable 300ml disposable collection jar, 13mm adult and 6mm child disposable suction catheters
- Collection jar rotates for optimal position for suctioning/aspiration
- Designed with an overflow protection mechanism that resists clogging and prevents spilling

MVP Suction Unit, Adult/Child Kit.....#SU13209999  
 Replacement Canister with Large-Bore Catheter.....#SU13309905



CE

## MicroVac Suction Unit

- Lightweight unit designed to be attached to any 50 psi DISS outlet
- Unique, color-coded on/off shuttle provides fast actuation of the unit
- Suction catheter can be quickly and easily cleared by covering the unit's exhaust port with one finger, reversing the flow

MicroVac Powered Suction Unit with Hose.....#T10561



## Wall-Mounted Blood Pressure Cuff

This clock aneroid sphygmomanometer is perfect for ambulances, hospitals or clinics. The mounting bracket offers cuff storage, while enabling the unit to swivel for easy viewing.

- Large easy to read 150 mm (6 in.) dial
- 300mm Hg No Pin Stop Mechanism
- 110 degree rotation for easy viewing
- Nylon Velcro cuff with PVC bladder with nickel-plated air release valve
- 8 foot (when extended) of coil tubing

Wall Mounted Blood Pressure Cuff.....#T1046019



## PEZO<sub>2</sub> Pulse Oximeter

- Large OLED display has 10 brightness settings and orientation options
- Hard plastic design protects the unit from rigorous daily use

PEZO<sub>2</sub> Pulse Oximeter.....#T10565

